

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0284599 - KING EGGROLL EXPRESS		Site Address 1600 SARATOGA AV 129, SAN JOSE, CA 95129		Inspection Date 05/27/2025	
Program PR0426806 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name KING VT INC		Inspection Time 13:45 - 15:30
Inspected By DENNIS LY	Inspection Type ROUTINE INSPECTION	Consent By THUY AND NGA	FSC Victor Tran 3/3/26		

Placard Color & Score
GREEN
77

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly			X	X			N
K06 Adequate handwash facilities supplied, accessible	X						S
K07 Proper hot and cold holding temperatures			X				
K08 Time as a public health control; procedures & records	X						S
K09 Proper cooling methods		X		X			N
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available			X				
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use	X	
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices	X	
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0284599 - KING EGGROLL EXPRESS	Site Address 1600 SARATOGA AV 129, SAN JOSE, CA 95129	Inspection Date 05/27/2025
Program PR0426806 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name KING VT INC	Inspection Time 13:45 - 15:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K09 - 8 Points - Improper cooling methods; 114002, 114002.1

Inspector Observations: Improper cooling of cooked chicken in the food prep unit. Per employee, the cooked chicken was prepared at 9:30 AM and was measured at 65-69F at 2:30PM. The chicken was stored in a tall container and fully covered with plastic wrap. [CA] After heating or hot holding, Potentially Hazardous Foods (PHFs) shall be cooled rapidly from 135°F to 70°F within 2 hours and from 70°F to 41°F within 4 hours. Approved cooling methods include: 1) Placing the food in shallow pans 2) Separating the food into thinner or smaller portions. 3) Using rapid cooling equipment (Ex. blast chiller) 4) Using containers that facilitate heat transfer (ex. stainless steel) 5) Adding ice as an ingredient. 6) Using ice paddles 7) Using an ice bath and stirring frequently 8) Accordance with a HACCP plan. Cooling foods shall have enough space around the containers for cold air to circulate, be loosely covered, or uncovered and stirred as frequently needed to evenly cool. [COS] Employee discarded the food into the trash.

Minor Violations

K05 - 3 Points - Hands not clean/improperly washed/gloves not used properly; 113952, 113953.3, 113953.4, 113961, 113968, 113973 (b-f)

Inspector Observations: Employee observed touching their face, picked up trash from the floor, and proceeded back to the food prep table without washing their hands. [CA] Employees shall properly wash their hands with warm water, soap, and single-use paper towels prior to handling food. [COS] Employee was stopped before handling food or food contact surfaces and instructed to wash hands.

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Potentially hazardous foods inside the walk-in cooler measured at improper cold holding temperatures. Raw chicken, raw chicken, and raw pork measured at 43-44F. [CA] Potentially hazardous foods when cold holding shall be held at or below 41F.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water at the three compartment sink was measured at a maximum of 111F. [CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations: Cardboard is used to line shelves inside the walk-in cooler. [CA] Discontinue the reuse of cardboard to line shelves and use material that is smooth, durable, nonabsorbent, and easily cleanable.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: A slow leak is observed at the bottom of the steam table. [CA] Repair leak and maintain plumbing of facility in good repair.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: Back door of the kitchen is kept open at time of inspection. [CA] Keep back door of the facility closed when not in use to prevent the entrance of vermin.

Performance-Based Inspection Questions

Needs Improvement - Hands clean/properly washed/gloves used properly.

Needs Improvement - Proper cooling methods.

OFFICIAL INSPECTION REPORT

Facility FA0284599 - KING EGGROLL EXPRESS	Site Address 1600 SARATOGA AV 129, SAN JOSE, CA 95129	Inspection Date 05/27/2025
Program PR0426806 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name KING VT INC	Inspection Time 13:45 - 15:30

Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
Eggplant	Steam table	138.00 Fahrenheit	
Hot water	Handwash sink	100.00 Fahrenheit	
Raw fish	Walk-in cooler	43.00 Fahrenheit	
Milk	Walk-in cooler	41.00 Fahrenheit	
Raw chicken	Walk-in cooler	43.00 Fahrenheit	
Chlorine sanitizer	Sanitizer bucket	100.00 PPM	
Cooked pork	Steam table	144.00 Fahrenheit	
Hot water	Three compartment sink	111.00 Fahrenheit	
Liquid egg	Food prep unit	41.00 Fahrenheit	
Cooked beef	Steam table	147.00 Fahrenheit	
Raw shell eggs	Walk-in cooler	41.00 Fahrenheit	
Raw pork	Walk-in cooler	44.00 Fahrenheit	
Cooked chicken	Cooling in food prep unit	69.00 Fahrenheit	Per employee, 5 hours into cooling
Cooked beef	Cooling in food prep unit	70.00 Fahrenheit	Per employee, 2 hour into cooling
Fried chicken	Cooling by dry storage	80.00 Fahrenheit	Per employee, 1 hour into cooling
Cooked chicken	Steam table	137.00 Fahrenheit	
Rice	Hot holding	150.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/10/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Nga Hoang
PIC

Signed On: May 27, 2025