

**County of Santa Clara**  
**Department of Environmental Health**  
**Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716  
 Phone (408) 918-3400 www.ehinfo.org



**OFFICIAL INSPECTION REPORT**

<b>Facility</b> FA0282787 - ALEXANDER'S STEAKHOUSE - PATISSERIE		<b>Site Address</b> 19379 STEVENS CREEK BL, CUPERTINO, CA 95014		<b>Inspection Date</b> 03/12/2021	
<b>Program</b> PR0424157 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09			<b>Owner Name</b> ALEXANDER'S STEAKHOUSE		<b>Inspection Time</b> 14:45 - 15:30
<b>Inspected By</b> PETER ESTES	<b>Inspection Type</b> ROUTINE INSPECTION	<b>Consent By</b> RADIM VLCEK	<b>FSC</b> Eric Upper 2/13/2024		

<b>Placard Color &amp; Score</b>
<b>RED</b>
<b>87</b>

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						S
K06 Adequate handwash facilities supplied, accessible			X				
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records	X						
K09 Proper cooling methods							X
K10 Proper cooking time & temperatures							X
K11 Proper reheating procedures for hot holding							X
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						S
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display							X
K17 Compliance with Gulf Oyster Regulations							X
K18 Compliance with variance/ROP/HACCP Plan							X
K19 Consumer advisory for raw or undercooked foods							X
K20 Licensed health care facilities/schools: prohibited foods not being offered							X
K21 Hot and cold water available		X					
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		X
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0282787 - ALEXANDER'S STEAKHOUSE - PATISSERIE	<b>Site Address</b> 19379 STEVENS CREEK BL, CUPERTINO, CA 95014	<b>Inspection Date</b> 03/12/2021
<b>Program</b> PR0424157 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	<b>Owner Name</b> ALEXANDER'S STEAKHOUSE, INC	<b>Inspection Time</b> 14:45 - 15:30
<b>K48</b> Plan review		
<b>K49</b> Permits available		
<b>K58</b> Placard properly displayed/posted		

## Comments and Observations

### Major Violations

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

**Inspector Observations: Hot water measured at 97F. Manager stated hot water heater is being replaced. [CA] Ensure hot water heater is operable and maintained in good repair at all times. Provide hot water measuring 120F at all times. Facility is closed due to this violation and until a re-inspection can occur.**

**Follow-up By**  
03/12/2021

### Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

**Inspector Observations: Cup inside hand sink. [CA] Remove cup and make hand sink accessible at all times.**

K40 - 2 Points - Wiping cloths: improperly used and stored; 114135, 114185.1 114185.3(d,e)

**Inspector Observations: Wiping cloths stored on counter. [CA] Store wet wiping cloths in sanitizer measuring 200 ppm quat.**

### Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

### Measured Observations

Item	Location	Measurement	Comments
display	display	42.00 Fahrenheit	
reach in	reach in	40.00 Fahrenheit	
hot water	3 compartment sink	97.00 Fahrenheit	

### Overall Comments:

**Signature not obtained due to COVID-19 and social distancing parameters. A copy of this report will be emailed to the operator.**

## CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/26/2021**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0282787 - ALEXANDER'S STEAKHOUSE - PATISSERIE	<b>Site Address</b> 19379 STEVENS CREEK BL, CUPERTINO, CA 95014	<b>Inspection Date</b> 03/12/2021
<b>Program</b> PR0424157 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	<b>Owner Name</b> ALEXANDER'S STEAKHOUSE, INC	<b>Inspection Time</b> 14:45 - 15:30

**Legend:**

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

---

**Received By:** Radim Vlcek  
Manager

**Signed On:** March 12, 2021