

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0275435 - C105 CACHE CREEK FIELD CLUB BEER BAR		Site Address 4900 MARIE P DEBARTOLO WY, SANTA CLARA, CA		Inspection Date 07/01/2026		Placard Color & Score GREEN 90		
Program PR0416284 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09			Owner Name LEVY PREMIUM FOODSERVI		Inspection Time 14:25 - 14:40			
Inspected By KAYA ALASSFAR		Inspection Type ROUTINE INSPECTION		Consent By LAURENA JOHNSON				FSC Laurena Johnson 08/25/2027

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures		X		X			
K08	Time as a public health control; procedures & records	X						
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		X
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0275435 - C105 CACHE CREEK FIELD CLUB BEER BAR	Site Address 4900 MARIE P DEBARTOLO WY, SANTA CLARA, CA 95054	Inspection Date 07/01/2026
Program PR0416284 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name LEVY PREMIUM FOODSERVICE LIMITED PART	Inspection Time 14:25 - 14:40
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Lime juice held in cooler for less than 2h measured above 50F

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

[COS] Employee time marked juices to discard within 4h of removal from temperature control.

Minor Violations

K35 - 2 Points - Equipment, utensils - Unapproved, unclear, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Ambient temperature inside the cooler measured at 62F.

[CA] Refrigeration must be capable of maintaining PHFs at 41°F or below.

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
lime juice	cooler	61.00 Fahrenheit	
quat	bucket	200.00 PPM	
gallon lime juice	cooler	51.00 Fahrenheit	

Overall Comments:

Routine inspection was conducted on site and report was written off site. An exit interview was conducted with the operator to address the inspection findings.

The OIR was issued to e-mail address that was verified onsite

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/15/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Received By:

Signed On: July 02, 2026

Comment: No signature was obtained.