

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0256498 - TONG DUMPLING		Site Address 1600 S DE ANZA BL 30, SAN JOSE, CA 95129		Inspection Date 02/05/2026		Placard Color & Score GREEN 86		
Program PR0374572 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name TONG DUMPLING INC		Inspection Time 14:45 - 16:15			
Inspected By FRANK LEONG		Inspection Type ROUTINE INSPECTION		Consent By WEIMU XIE				FSC WEIMU XIE 04/24/2028

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible			X				
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals			X				

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food	X	
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use	X	
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use	X	
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0256498 - TONG DUMPLING	Site Address 1600 S DE ANZA BL 30, SAN JOSE, CA 95129	Inspection Date 02/05/2026
Program PR0374572 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name TONG DUMPLING INC	Inspection Time 14:45 - 16:15
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Observed the handwash station in the kitchen was blocked from access. Nearby handwash station in the front counter was accessible and stocked.

[CA] Ensure all handwash stations are accessible at all times and stocked with hand soap and paper towels to allow for proper handwashing.

[COS] Operator provided access to the kitchen handwash station.

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: In the kitchen area, observed two dead cockroaches on a wall edge and on the wall above the refrigeration storage.

[CA] Ensure facility is kept free of cockroach activity. Clean and sanitize all areas with activity. Seal all cracks and crevices to prevent harborage. Remove cardboard and other unapproved materials that may create harborage for cockroach activity.

K26 - 2 Points - Unapproved thawing methods used; frozen food; 114018, 114020, 114020.1

Inspector Observations: In the kitchen area, observed a pot of frozen pork thawing and a box of frozen beef thawing on the floor.

[CA] Ensure all food is stored at least 6" off the floor on approved shelving. Frozen potentially hazardous food shall only be thawed in one of the following ways: 1) under refrigeration that maintains the food temperature at 41F or below, 2) completely submerged under potable running water for a period not to exceed two hours at a water temperature of 70°F or below, and with sufficient water velocity to agitate and flush off loose particles into the sink drain, 3) in a microwave oven if immediately followed by immediate preparation, 4) as part of a cooking process.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations: By the cookline, observed a cleaver stored between the wall and the 3 door prep unit.

[CA] Ensure all utensils and equipment are stored in a manner that prevents contamination.

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: At the hood, observed hood filters are incomplete due to a stainless steel insert and creating gaps. Observed grease accumulation on the hood filters and between the gaps.

[CA] Ensure hood filters are properly installed and frequently cleaned and maintained to allow for proper ventilation of smoke, grease, heat, steam, and vapors.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Observed grease accumulation on the floor below the wok station.

[CA] Ensure facility floors are frequently cleaned and maintained to prevent harborage of vermin.

Performance-Based Inspection Questions

OFFICIAL INSPECTION REPORT

Facility FA0256498 - TONG DUMPLING	Site Address 1600 S DE ANZA BL 30, SAN JOSE, CA 95129	Inspection Date 02/05/2026
Program PR0374572 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name TONG DUMPLING INC	Inspection Time 14:45 - 16:15

N/A

Measured Observations

N/A

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 2/19/2026. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: WEIMU XIE
CHEF
Signed On: February 05, 2026