

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0279322 - PAPA JOHN'S PIZZA	Site Address 2668 MONTEREY RD 170, SAN JOSE, CA 95111	Inspection Date 08/19/2026
Program PR0421446 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name DAOUD PIZZA INC.	Inspection Time 10:40 - 11:10
Inspected By ANABELLE GARCIA	Inspection Type FOLLOW-UP INSPECTION	Consent By RAM NAN

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

Cited On: 08/18/2026

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Compliance of this violation has been verified on: 08/19/2026

Minor Violations

Cited On: 08/18/2026

K06 - 3 Points - Inadequate handwash facilities; supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

This violation found not in compliance on 08/19/2026. See details below.

Measured Observations

Item	Location	Measurement	Comments
water	hand wash sink	100.00 Fahrenheit	
water	prep sink, janitorial sink	121.00 Fahrenheit	
water	3 comp sink	124.00 Fahrenheit	

Overall Comments:

Follow up inspection to the routine inspection conducted on 8/18/26. Facility was closed due to lack of hot water.

Observations:

Water heater was descaled. Hot water has been restored throughout facility.

Facility is now open.

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **9/2/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Ram

Received By: Ram Nan
PIC

Signed On: August 19, 2026