

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0212028 - ESPRESSO BAR @ NORDSTROM #425		Site Address 2400 FOREST AV, SAN JOSE, CA 95050		Inspection Date 11/09/2023	
Program PR0303913 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name NORDSTROM RESTAURANT		Inspection Time 11:55 - 13:00
Inspected By FARHAD AMIR-EBRAHIMI	Inspection Type ROUTINE INSPECTION	Consent By JENNY JOHNSON	FSC Not Available		

Placard Color & Score
GREEN
89

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification			X				
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly			X	X			
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods						X	
K10 Proper cooking time & temperatures						X	
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available			X				
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips	X	
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0212028 - ESPRESSO BAR @ NORDSTROM #425	Site Address 2400 FOREST AV, SAN JOSE, CA 95050	Inspection Date 11/09/2023
Program PR0303913 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name NORDSTROM RESTAURANT DIVISION	Inspection Time 11:55 - 13:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations: Lack food safety certificate [CA] Obtain food safety certificate by 01/09/24

Some food handler cards are expired [CA] Renew cards by 12/09/23

K05 - 3 Points - Hands not clean/improperly washed/gloves not used properly; 113952, 113953.3, 113953.4, 113961, 113968, 113973 (b-f)

Inspector Observations: Employee washed hands with cold water [CA] All food employees shall thoroughly wash their hands and that portion of their arms exposed to direct food contact with soap and vigorously rub hands together to lather up for at least 10 to 15 seconds. They shall rinse hands with warm water followed by drying with paper towels. Employees shall pay attention to the areas underneath the fingernails and between the fingers when washing hands. – Corrected

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water 108 at three-compartment sink [CA] Maintain hot water at 120F or warmer

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: Lack a thermal indicator to measure dishwasher rinse temperature [CA] Provide a thermal indicator and check dishwasher rinse water temperature daily

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
Milk	2-door cooler	40.00 Fahrenheit	
Water	3-comp sink	108.00 Fahrenheit	
Milk	Front cooler	39.00 Fahrenheit	
Water	Dishwasher	160.00 Fahrenheit	
Soup	Warmer	139.00 Fahrenheit	
Miso	Freezer	4.00 Fahrenheit	
Quat	3-comp sink	200.00 PPM	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/23/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0212028 - ESPRESSO BAR @ NORDSTROM #425	Site Address 2400 FOREST AV, SAN JOSE, CA 95050	Inspection Date 11/09/2023
Program PR0303913 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name NORDSTROM RESTAURANT DIVISION	Inspection Time 11:55 - 13:00

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Jenny Johnson

Signed On: November 09, 2023