

**County of Santa Clara**  
**Department of Environmental Health**  
**Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716  
 Phone (408) 918-3400 www.ehinfo.org



**OFFICIAL INSPECTION REPORT**

<b>Facility</b> FA0230847 - BENG NYUN SON NIM		<b>Site Address</b> 2725 EL CAMINO REAL 102, SANTA CLARA, CA 950		<b>Inspection Date</b> 01/15/2026	
<b>Program</b> PR0305812 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			<b>Owner Name</b> KIM, YONGHUI		<b>Inspection Time</b> 12:00 - 12:40
<b>Inspected By</b> KATHY VO		<b>Inspection Type</b> FOLLOW-UP INSPECTION		<b>Consent By</b> THOMAS	

<b>Placard Color &amp; Score</b> <b>GREEN</b> <b>N/A</b>
----------------------------------------------------------------

**Comments and Observations**

**Major Violations**

Cited On: 01/13/2026

K05 - 8 Points - Hands not clean/improperly washed/gloves not used properly; 113952, 113953.3, 113953.4, 113961, 113968, 113973 (b-f)

**Compliance of this violation has been verified on: 01/15/2026**

Cited On: 01/13/2026

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

**Compliance of this violation has been verified on: 01/15/2026**

Cited On: 01/13/2026

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

**Compliance of this violation has been verified on: 01/15/2026**

**Minor Violations**

N/A

**Measured Observations**

Item	Location	Measurement	Comments
sanitizer (chlorine)	mechanical dishwasher	50.00 PPM	
water	handwash sink	100.00 Fahrenheit	
sanitizer (chlorine)	3-compartment sink	100.00 PPM	

**Overall Comments:**

*On-site to conduct a follow-up to the previous routine inspection (dated 1/13/2026).*

*The following major violations have been corrected:*

- **K05: Improper handwashing. Observed employees properly washing hands with soap and single use towels as needed during inspection. Discussed handwashing policy with PIC.**
- **K06: Inadequate handwash facilities. Observed the only handwash sink is fully stocked and accessible at the time of inspection.**
- **K14: Food contact surfaces unsanitized. Observed proper washing, rinsing, and sanitizing of equipment during inspection. The 3-compartment sink and mechanical dishwasher has an appropriate amount of chlorine sanitizer. See measured observations.**

*The facility has earned a "PASS" for this inspection. Continue to address remaining violations as cited on the routine inspection report.*

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/29/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0230847 - BENG NYUN SON NIM	<b>Site Address</b> 2725 EL CAMINO REAL 102, SANTA CLARA, CA 95051	<b>Inspection Date</b> 01/15/2026
<b>Program</b> PR0305812 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	<b>Owner Name</b> KIM, YONGHUI	<b>Inspection Time</b> 12:00 - 12:40

**Legend:**

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



---

**Received By:** Thomas Kim  
Owner

**Signed On:** January 15, 2026