

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0289369 - VOYAGER CRAFT COFFEE		Site Address 111 W ST JOHN ST 100, SAN JOSE, CA 95113	Inspection Date 04/08/2026
Program PR0433800 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09		Owner Name WORLD VOYAGER LLC	Inspection Time 16:50 - 17:10
Inspected By ALEXANDER ALFARO	Inspection Type FOLLOW-UP INSPECTION	Consent By LAUREN	

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

Cited On: 04/08/2026

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations:

Facility lacks an adequate supply of hot water.

Note: Observed a copper pipe from the water heater dispensing a steady supply of water into the mop sink that measured at 90F.

[CA] An approved, adequate, protected, pressurized, potable supply of hot water and cold water shall be provided. Facility shall close until hot water is restored and written authorization is issued from this department.

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

Onsite for the first follow up inspection where the facility was closed for lack of hot water.

Observations:

K21: Hot water has been restored throughout the facility. Per PIC, the water heater had a broken valve that was replaced. The flow of water coming from the copper pipe was not present.

Facility is okay to reopen.

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/22/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: Jovanna Oliveras
 Shift Lead
Signed On: April 08, 2026