

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0207260 - CAPITOL VALERO	Site Address 1898 N CAPITOL AV, SAN JOSE, CA 95132	Inspection Date 04/22/2026
Program PR0306362 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name AMG PETROLEUM, INC.	Inspection Time 09:30 - 10:00
Inspected By MAMAYE KEBEDE	Inspection Type FOLLOW-UP INSPECTION	Consent By JOHNNY CHUNG

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

Cited On: 04/15/2026

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Compliance of this violation has been verified on: 04/22/2026

Cited On: 04/15/2026

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Compliance of this violation has been verified on: 04/22/2026

Cited On: 04/15/2026

K22 - 8 Points - Sewage and wastewater improperly disposed; 114197

Compliance of this violation has been verified on: 04/22/2026

Minor Violations

Cited On: 04/22/2026

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: There is no approved sanitizer measuring strip to measure the concentration of the chemicals used to sanitize dishes and utensils in the facility.

[CA] Provide approved sanitizer measuring strips for the chemicals used in sanitizing utensils, equipment, and food contact surfaces.

Follow-up By
04/22/2026

Measured Observations

Item	Location	Measurement	Comments
Hot water	Three compartment warewash sink	130.00 Fahrenheit	

Overall Comments:

Note: This is a follow-up inspection to the routine inspection that was conducted on 4/15/2026. The facility was restricted to sell prepackaged food products only due to the lack of hot water and a non-working warewash sink. Now, the manager has fixed the warewash sink and provided hot water on the sink.

Therefore, the facility is allowed to sell coffee and other open drinks. However, the above violation must be addressed immediately.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/6/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0207260 - CAPITOL VALERO	Site Address 1898 N CAPITOL AV, SAN JOSE, CA 95132	Inspection Date 04/22/2026
Program PR0306362 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name AMG PETROLEUM, INC.	Inspection Time 09:30 - 10:00

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Johnny Chung
Manager

Signed On: April 22, 2026