

# County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

Facility FA0301659 - GYU-KAKU JAPANESE BBQ RESTAURANT		Site Address 28 N ALMADEN AV 70, SAN JOSE, CA 95110		Inspection Date 08/08/2025	
Program PR0443088 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name REINS INTERNATIONAL CALI		Inspection Time 12:05 - 13:45
Inspected By ALEXANDER ALFARO	Inspection Type ROUTINE INSPECTION	Consent By MARC	FSC Marc Devera 03/08/2028		

Placard Color & Score
<b>RED</b>
<b>88</b>

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						S
K06 Adequate handwash facilities supplied, accessible	X						S
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures	X						
K11 Proper reheating procedures for hot holding	X						
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods	X						
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals		X					

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		X
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available	X	

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0301659 - GYU-KAKU JAPANESE BBQ RESTAURANT	<b>Site Address</b> 28 N ALMADEN AV 70, SAN JOSE, CA 95110	<b>Inspection Date</b> 08/08/2025
<b>Program</b> PR0443088 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	<b>Owner Name</b> REINS INTERNATIONAL CALIFORNIA	<b>Inspection Time</b> 12:05 - 13:45
<b>K48</b> Plan review		
<b>K49</b> Permits available		
<b>K58</b> Placard properly displayed/posted		

## Comments and Observations

### Major Violations

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

**Inspector Observations: 1. Observed Vermin: Documented in the following areas:**

- 1 live nymph behind a handwash reminder sign.
- several nymphs and an adult cockroach in the hinges of cabinets where food is placed for service.
- Cockroach feces along the ceiling tiles of the kitchen and facility.
- a hatched ootheca in the kitchen on the floor between the prep sink and prep cooler

**2. Photographs: Taken for documentation purposes.**

**3. Supervisor Notified: Yes**

**4. Notification: The person in charge during inspection, Marc Devera, has been informed that the facility must close immediately.**

**[CA]: The premises of each food facility must be maintained free of vermin. A facility cannot operate if there is a vermin infestation that leads to contamination of food contact surfaces, packaging, utensils, food equipment, or adulteration of food. The facility is required to cease operations immediately and must remain closed until all corrective actions on the provided checklist are completed.**

**Requirements Before Reopening:**

1. Email the signed and completed Reopening Checklist to the assigned inspector.
2. Submit a copy of the pest control report from a licensed provider.

### Minor Violations

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

**Inspector Observations:**

**The walls of the kitchen area have an accumulation of dust and the ceiling tiles have an accumulation of black spots.**

**[CA] Ensure to maintain the floors, walls, and ceilings of the facility clean and in good repair.**

K47 - 2 Points - Signs not posted; last inspection report not available; 113725.1, 113953.5, 113978, 114381(e)

**Inspector Observations:**

**The Environmental Health Permit is not posted.**

**[CA] The health permit issued by this department shall be posted in a conspicuous place in the food facility.**

### Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

### Measured Observations

Item	Location	Measurement	Comments
Quaternary Ammonia - Sanitizer	Three Compartment Sink	300.00 PPM	
Rice	Rice Cooker	135.00 Fahrenheit	
Beef	Upright Cooler	8.00 Fahrenheit	
Water	Upright Dishwasher	164.00 Fahrenheit	
Gyoza	Drawer Cooler	35.00 Fahrenheit	
Water	Three Compartment Sink	120.00 Fahrenheit	
Beef	Walk in Cooler	37.00 Fahrenheit	
Beef	Prep Cooler	40.00 Fahrenheit	
Egg Fried Rice	Final Cook	165.00 Fahrenheit	
Water	Hand Sinks - all	100.00 Fahrenheit	

# OFFICIAL INSPECTION REPORT

Facility FA0301659 - GYU-KAKU JAPANESE BBQ RESTAURANT	Site Address 28 N ALMADEN AV 70, SAN JOSE, CA 95110	Inspection Date 08/08/2025
Program PR0443088 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name REINS INTERNATIONAL CALIFORNIA	Inspection Time 12:05 - 13:45

## Overall Comments:

### Notes:

- Please contact district specialist, Alexander Alfaro ([alexander.alfaro@deh.sccgov.org](mailto:alexander.alfaro@deh.sccgov.org)), or DEH main line at (408)918-3400 to schedule a follow up inspection. The first follow up inspection is free of charge. Any and all subsequent follow up inspections shall be charged at the approved hourly rate of \$298.00/hr, minimum of one hour, during normal business hours: Monday through Friday 7:30am to 4:30pm or \$645/hour minimum two hour during non business hours, and upon inspector availability.

## CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/22/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

### Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Marc Devera  
Manager

Signed On: August 08, 2025