

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0250669 - PHO 90 DEGREE		Site Address 222 GREAT MALL DR, MILPITAS, CA 95035		Inspection Date 09/22/2025	
Program PR0361013 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name GM PHO 90 DEGREE CORP		Inspection Time 11:55 - 12:30
Inspected By MAVERICK CHIN	Inspection Type FOLLOW-UP INSPECTION		Consent By PHUC AND CUC		

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

N/A

Minor Violations

Cited On: 09/22/2025

K49 - 2 Points - Permits not available; 114067(b,c), 114381(a), 114387

Inspector Observations:

Note: Facility has paid for their overdue invoice (48-hr notice) of \$2153.75

Receipt confirmation number: 3906294550

Measured Observations

N/A

Overall Comments:

On-site for a second follow-up inspection after the facility was closed during the routine inspection conducted on 09/15/2025, and during the first follow-up inspection conducted on 09/18/2025 for evidence of a cockroach infestation.

The following was provided prior to conducting the follow-up inspection:

- 1. The signed and completed Reopening Checklist, emailed to the assigned inspector*
- 2. A copy of the pest control report from a licensed provider, stating that facility has been treated and that all vermin activity has been abated, emailed to the assigned inspector*

Facility has paid for the invoice for a billable, second follow-up inspection prior to the start of the inspection.

Confirmation number: 3906475713

No evidence of cockroaches observed during this follow-up inspection.

Several areas still need to be cleaned, including on the sides and undersides of various equipment/metal counter units.

Ensure that all cracks/crevices in walls, floors, and ceilings are sealed to prevent the entry or harborage of vermin.

Facility may now be reopened.

Continue to to work on the violations cited during the routine inspection conducted on 09/15/2025.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/6/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0250669 - PHO 90 DEGREE	Site Address 222 GREAT MALL DR, MILPITAS, CA 95035	Inspection Date 09/22/2025
Program PR0361013 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name GM PHO 90 DEGREE CORP	Inspection Time 11:55 - 12:30

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: cuc huynh
manager

Signed On: September 22, 2025