

# County of Santa Clara

## Department of Environmental Health

### Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0207201 - HOUSE OF PHO		<b>Site Address</b> 1852 CAMDEN AV, SAN JOSE, CA 95124	<b>Inspection Date</b> 07/24/2025
<b>Program</b> PR0300212 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		<b>Owner Name</b> HOUSE OF PHO, LLC	<b>Inspection Time</b> 12:20 - 12:50
<b>Inspected By</b> HELEN DINH	<b>Inspection Type</b> FOLLOW-UP INSPECTION	<b>Consent By</b> AN BIU	

Placard Color & Score

**GREEN**  
**N/A**

### Comments and Observations

#### Major Violations

Cited On: 07/17/2025

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

**Compliance of this violation has been verified on: 07/24/2025**

Cited On: 07/17/2025

K08 - 8 Points - Improperly using time as a public health control procedures & records; 114000

**Compliance of this violation has been verified on: 07/24/2025**

#### Minor Violations

Cited On: 07/17/2025

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

**Compliance of this violation has been verified on: 07/24/2025**

#### Measured Observations

Item	Location	Measurement	Comments
boba	counter	89.00 Fahrenheit	under TPHC, time log observed.
chicken wings	@ cooks line	48.00 Fahrenheit	under TPHC, time log observed.
raw beef	2 door cold top	33.00 Fahrenheit	
warm water	handsink (prep)	100.00 Fahrenheit	
shrimp	walk-in	41.00 Fahrenheit	
ambient	walk-in	40.00 Fahrenheit	
spring rolls	rack	73.00 Fahrenheit	under time as a public health control (TPHC), time marked.
brisket	2 door cold top	41.00 Fahrenheit	

#### Overall Comments:

**Upon follow-up inspection, measured PHFs at or below 41F in refrigeration unit, observed time log posted on wall for PHFs under time as a public health control (TPHC) and measured ambient air temperature of walk-in-cooler at 41F. Continue to correct the remaining violations noted on 7/17/25**

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/7/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

# OFFICIAL INSPECTION REPORT

Facility FA0207201 - HOUSE OF PHO	Site Address 1852 CAMDEN AV, SAN JOSE, CA 95124	Inspection Date 07/24/2025
Program PR0300212 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name HOUSE OF PHO, LLC	Inspection Time 12:20 - 12:50

## Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



---

**Received By:** An Bui  
Assistant Manager

**Signed On:** July 24, 2025