

# County of Santa Clara

## Department of Environmental Health

### Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0207216 - THE NEW LOS MANGOS BAR AND GRILL		<b>Site Address</b> 1860 THE ALAMEDA ST, SAN JOSE, CA 95126		<b>Inspection Date</b> 05/23/2023		<b>Placard Color &amp; Score</b> <div style="background-color: yellow; padding: 10px; text-align: center;"> <b>YELLOW</b>  <b>70</b> </div>		
<b>Program</b> PR0300013 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			<b>Owner Name</b> TERRI LYNN WEEMAN		<b>Inspection Time</b> 11:00 - 13:00			
<b>Inspected By</b> MAMAYE KEBEDE		<b>Inspection Type</b> ROUTINE INSPECTION		<b>Consent By</b> GERMAIN LOPEZ				<b>FSC</b>

  

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible			X				
K07	Proper hot and cold holding temperatures			X				
K08	Time as a public health control; procedures & records	X						
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized		X					S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed		X					
K23	No rodents, insects, birds, or animals	X						

  

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected	X	
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips	X	
K35	Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

# OFFICIAL INSPECTION REPORT

Facility FA0207216 - THE NEW LOS MANGOS BAR AND GRILL	Site Address 1860 THE ALAMEDA ST., SAN JOSE, CA 95126	Inspection Date 05/23/2023
Program PR0300013 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name TERRI LYNN WEEMAN	Inspection Time 11:00 - 13:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

## Comments and Observations

### Major Violations

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

**Inspector Observations:** *The sanitizer concentration on the low temperature mechanical dishwasher that was used to wash the dishes was measured at zero ppm chlorine.*

**[CA]** *Whenever sanitizing of utensils/equipment is conducted using a low temperature mechanical dishwasher, there must be a 50-ppm residual chlorine level when the cycle completes. Until the mechanical dishwasher is fixed, please use the manual three compartments sink to wash, rinse, and sanitize the dishes with 200 ppm quaternary ammonia or 100 ppm chlorine, unless otherwise specified by manufacturer of the chemical. The person in charge refill one sink of the warewash sink with lukewarm water and added bleach manually to create a 100-ppm chlorine solution to sanitize the utensils washed in the mechanical dishwasher (SA).*

Follow-up By  
05/23/2023

K22 - 8 Points - Sewage and wastewater improperly disposed; 114197

**Inspector Observations:** *There was a sewage backup from the floor drain located below the cook-line's handwash station.*

**[CA]** *Repair the drain system for proper drain of the gray water from the handwash station. The manager snaked the pipeline to flush the gray water (COS).*

Follow-up By  
05/23/2023

### Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

**Inspector Observations:** *There was no paper towel supply on one of the handwash sinks located in the front service area.*

**[CA]** *All handwash sinks must have both soap and paper towel supplies.*

Follow-up By  
05/23/2023

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

**Inspector Observations:** *Shell eggs stored on the preparation table were measured at 48 OF.*

**[CA]** *All potentially hazardous foods like meat, seafood, poultry, dairy products, cooked vegetables, cooked cereals, greens, and diced tomatoes shall always be held at 41°F or below or at 135°F or above. Please monitor the temperature and use of the refrigeration unit regularly.*

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

**Inspector Observations:** *Some open bag food products were stored in the dry storage area.*

**[CA]** *Store all open bag food products in properly labeled bulk containers.*

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

**Inspector Observations:** *There is no approved sanitizer measuring strip to measure the concentration of the chemicals used to sanitize dishes and utensils in the facility.*

**[CA]** *Provide approved sanitizer measuring strips for the chemicals used in sanitizing utensils, equipment, and food contact surfaces.*

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

**Inspector Observations:** *There are multiple household freezers back in the kitchen area.*

**[CA]** *All equipment used in the facility must be NSF/ANSI approved or ETL/UL Sanitation listed one*

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

# OFFICIAL INSPECTION REPORT

Facility FA0207216 - THE NEW LOS MANGOS BAR AND GRILL	Site Address 1860 THE ALAMEDA ST., SAN JOSE, CA 95126	Inspection Date 05/23/2023
Program PR0300013 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name TERRI LYNN WEEMAN	Inspection Time 11:00 - 13:00

**Inspector Observations:** *There are some missing ceiling tiles in the dining area, on one of the restroom, and back in the kitchen area.*

**[CA]** *Replace the missing/damaged ceiling panels immediately.*

## Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

## Measured Observations

Item	Location	Measurement	Comments
Shell eggs	Preparation table	48.00 Fahrenheit	
Chlorine	Mechanical dishwasher	0.00 Fahrenheit	
Steak	Open top freezer	0.00 Fahrenheit	
Hot water	Three compartment sink	125.00 Fahrenheit	
Beef	Preparation fridge	34.00 Fahrenheit	
Refried beans	Steam table	165.00 Fahrenheit	
Chicken	Upright freezer	0.00 Fahrenheit	
Rice	Steam table	168.00 Fahrenheit	
Salsa	Preparation fridge	34.00 Fahrenheit	

## Overall Comments:

**Note:** *Food safety certificate: Sandra Pineda - 03/18/2023. Employees food handler cards are kept on file as well.*

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/6/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

## Legend:

<b>[CA]</b>	Corrective Action
<b>[COS]</b>	Corrected on Site
<b>[N]</b>	Needs Improvement
<b>[NA]</b>	Not Applicable
<b>[NO]</b>	Not Observed
<b>[PBI]</b>	Performance-based Inspection
<b>[PHF]</b>	Potentially Hazardous Food
<b>[PIC]</b>	Person in Charge
<b>[PPM]</b>	Part per Million
<b>[S]</b>	Satisfactory
<b>[SA]</b>	Suitable Alternative
<b>[TPHC]</b>	Time as a Public Health Control



**Received By:** Gerardo Lomeli  
Manager  
**Signed On:** May 23, 2023