

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0207596 - SJCC CAFE		Site Address 2100 MOORPARK AV, SAN JOSE, CA 95128		Inspection Date 10/07/2025		Placard Color & Score GREEN 90		
Program PR0305444 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name MM CAFE LLC		Inspection Time 10:45 - 12:00			
Inspected By HINA WYNE		Inspection Type ROUTINE INSPECTION		Consent By THAI				FSC THAL TRAN 07/18/2030

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth					X		
K04	Proper eating, tasting, drinking, tobacco use					X		
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records	X						S
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified	X	
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45	Floor, walls, ceilings: built, maintained, clean	X	
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available	X	

OFFICIAL INSPECTION REPORT

Facility FA0207596 - SJCC CAFE	Site Address 2100 MOORPARK AV, SAN JOSE, CA 95128	Inspection Date 10/07/2025
Program PR0305444 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name MM CAFE LLC	Inspection Time 10:45 - 12:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: CARTONS OF FOOD ON FLOOR INSIDE THE WALK IN FREEZER.

[CA] Food shall be stored at least 6 inches above the floor to prevent contamination.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: VENTILATION HOOD ABOVE COOK LINE WAS NOT CLEAN AND UNDER THE STOVE DRAWER HAS GREASE.

[CA] Ventilation hood filters shall be maintained clean and good repair. Dispose off grease in a grease dispenser.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: EMPLOYEE RESTROOM HAS A OPEN CEILING PANEL.

[CA] Eliminate gap greater than 1/4" to prevent the entrance and harborage of vermin.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: KITCHEN AND FOOD PREP AREA FLOORS WERE NOT CLEAN.

[CA] Keep floor clean and sanitize.

K47 - 2 Points - Signs not posted; last inspection report not available; 113725.1, 113953.5, 113978, 114381(e)

Inspector Observations: EXPIRED HEALTH PERMIT WAS POSTED.

[CA] The health permit issued by this department shall be posted in a conspicuous place in the food facility.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
QA SANITIZER	3-COMP SINK	200.00 PPM	
HOT WATER	HAND WASHING RESTROOM	100.00 Fahrenheit	
HOT WATER	HAND WASHING	100.00 Fahrenheit	
HOT WATER	FOOD PREP SINK	120.00 Fahrenheit	
CHEESE CAKE	REFRIGERATION	40.00 Fahrenheit	
TOMATOES	FOOD PREP COOLER	41.00 Fahrenheit	
SUSHI ROOL	ROOM TEMP	80.00 Fahrenheit	TPHC
HOT WATER	3-COMP SINK	120.00 Fahrenheit	
SANDWITCH	REFRIGERATION	40.00 Fahrenheit	
ICE CREAM	FREEZER	20.00 Fahrenheit	
RICE AND CHICKEN	HOT HOLDING	180.00 Fahrenheit	
CHICKEN WINGS	WALK IN FREEZER	20.00 Fahrenheit	

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0207596 - SJCC CAFE	Site Address 2100 MOORPARK AV, SAN JOSE, CA 95128	Inspection Date 10/07/2025
Program PR0305444 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name MM CAFE LLC	Inspection Time 10:45 - 12:00

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/21/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: THAI
PIC
Signed On: October 07, 2025