

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

| | | | | | |
|--|---------------------------------------|--|---------------------------------------|-------------------------------|----------------------------------|
| Facility FA0299552 - JOEY VALLEY FAIR - KITCHEN | | Site Address 2855 STEVENS CREEK BL 1840, SAN JOSE, CA 950 | | Inspection Date 06/18/2026 | |
| Program PR0439569 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17 | | | Owner Name JOEY RESTAURANT (VALLE) | | Inspection Time 10:50 - 12:15 |
| Inspected By FARHAD AMIR-EBRAHIMI | Inspection Type ROUTINE INSPECTION | | Consent By YANA | FSC Jordan Senger 10/21/27 | |

| |
|-----------------------|
| Placard Color & Score |
| GREEN |
| 86 |

| RISK FACTORS AND INTERVENTIONS | IN | OUT | | COS/SA | N/O | N/A | PBI |
|---|----|-------|-------|--------|-----|-----|-----|
| | | Major | Minor | | | | |
| K01 Demonstration of knowledge; food safety certification | X | | | | | | |
| K02 Communicable disease; reporting/restriction/exclusion | X | | | | | | S |
| K03 No discharge from eyes, nose, mouth | X | | | | | | |
| K04 Proper eating, tasting, drinking, tobacco use | X | | | | | | |
| K05 Hands clean, properly washed; gloves used properly | | | X | X | | | S |
| K06 Adequate handwash facilities supplied, accessible | | X | | X | | | S |
| K07 Proper hot and cold holding temperatures | X | | | | | | |
| K08 Time as a public health control; procedures & records | | | | | | X | |
| K09 Proper cooling methods | | | | | X | | |
| K10 Proper cooking time & temperatures | X | | | | | | |
| K11 Proper reheating procedures for hot holding | | | | | X | | |
| K12 Returned and reservice of food | | | | | X | | |
| K13 Food in good condition, safe, unadulterated | X | | | | | | |
| K14 Food contact surfaces clean, sanitized | | | X | | | | |
| K15 Food obtained from approved source | X | | | | | | |
| K16 Compliance with shell stock tags, condition, display | | | | | | X | |
| K17 Compliance with Gulf Oyster Regulations | | | | | | X | |
| K18 Compliance with variance/ROP/HACCP Plan | | | | | | X | |
| K19 Consumer advisory for raw or undercooked foods | | | | | | X | |
| K20 Licensed health care facilities/schools: prohibited foods not being offered | | | | | | X | |
| K21 Hot and cold water available | X | | | | | | |
| K22 Sewage and wastewater properly disposed | X | | | | | | |
| K23 No rodents, insects, birds, or animals | X | | | | | | |

| GOOD RETAIL PRACTICES | OUT | COS |
|---|-----|-----|
| K24 Person in charge present and performing duties | | |
| K25 Proper personal cleanliness and hair restraints | | |
| K26 Approved thawing methods used; frozen food | | |
| K27 Food separated and protected | | |
| K28 Fruits and vegetables washed | | |
| K29 Toxic substances properly identified, stored, used | | |
| K30 Food storage: food storage containers identified | | |
| K31 Consumer self service does prevent contamination | | |
| K32 Food properly labeled and honestly presented | | |
| K33 Nonfood contact surfaces clean | | |
| K34 Warewash facilities: installed/maintained; test strips | | |
| K35 Equipment, utensils: Approved, in good repair, adequate capacity | | |
| K36 Equipment, utensils, linens: Proper storage and use | | |
| K37 Vending machines | | |
| K38 Adequate ventilation/lighting; designated areas, use | | |
| K39 Thermometers provided, accurate | | |
| K40 Wiping cloths: properly used, stored | | |
| K41 Plumbing approved, installed, in good repair; proper backflow devices | | |
| K42 Garbage & refuse properly disposed; facilities maintained | | |
| K43 Toilet facilities: properly constructed, supplied, cleaned | | |
| K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing | | |
| K45 Floor, walls, ceilings: built, maintained, clean | | |
| K46 No unapproved private home/living/sleeping quarters | | |
| K47 Signs posted; last inspection report available | | |

OFFICIAL INSPECTION REPORT

| | | |
|---|---|---|
| Facility FA0299552 - JOEY VALLEY FAIR - KITCHEN | Site Address 2855 STEVENS CREEK BL 1840, SAN JOSE, CA 95050 | Inspection Date 06/18/2026 |
| Program PR0439569 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17 | Owner Name JOEY RESTAURANT (VALLEY FAIR) INC | Inspection Time 10:50 - 12:15 |
| K48 Plan review | | |
| K49 Permits available | | |
| K58 Placard properly displayed/posted | | |

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: No soap in the right employee restroom dispenser [CA] Keep all dispensers supplied - Corrected

Minor Violations

K05 - 3 Points - Hands not clean/improperly washed/gloves not used properly; 113952, 113953.3, 113953.4, 113961, 113968, 113973 (b-f)

Inspector Observations: Employee washed hands with soap for 5 seconds [CA] All food employees shall thoroughly wash their hands and that portion of their arms exposed to direct food contact with soap and vigorously rub hands together to lather up for at least 10 to 15 seconds. They shall rinse hands with warm water followed by drying with paper towels. Employees shall pay attention to the areas underneath the fingernails and between the fingers when washing hands. - Corrected

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: Rinse temperature for all three high-temp dishwashers less than 150F [CA] Maintain dishwashers rinse temperature at 160F or warmer - Ecolab arrived during the inspection and corrected rinse temperature to 160F.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

| Item | Location | Measurement | Comments |
|---------|-----------------------------|-------------------|----------|
| Chicken | 2-door cooler | 39.00 Fahrenheit | |
| Quat | Pail | 200.00 PPM | |
| Water | 3-comp sink | 124.00 Fahrenheit | |
| Water | Upstairs small dishwahrer | 146.00 Fahrenheit | |
| Quat | 3-comp sink | 200.00 PPM | |
| Meat | Walk-in cooler | 40.00 Fahrenheit | |
| Water | Small downstairs dishwasher | 149.00 Fahrenheit | |
| Water | Kitchen dishwasher | 145.00 Fahrenheit | |
| Cheese | LIne cooler | 38.00 Fahrenheit | |
| Meat | Freezer | 12.00 Fahrenheit | |

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/2/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

| | | |
|---|---|---|
| Facility FA0299552 - JOEY VALLEY FAIR - KITCHEN | Site Address 2855 STEVENS CREEK BL 1840, SAN JOSE, CA 95050 | Inspection Date 06/18/2026 |
| Program PR0439569 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17 | Owner Name JOEY RESTAURANT (VALLEY FAIR) INC | Inspection Time 10:50 - 12:15 |

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Ryan Ritter

Signed On: June 18, 2026