

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0262477 - SONIC DRIVE INS GILROY		Site Address 6921 CAMERON BL, GILROY, CA 95020		Inspection Date 06/09/2026	
Program PR0385344 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name SFZ VENTURES LLC		Inspection Time 11:45 - 13:00
Inspected By GUILLERMO VAZQUEZ	Inspection Type ROUTINE INSPECTION	Consent By JOSE R.	FSC Liliana P. 2/27/28		

Placard Color & Score
RED
92

	RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available		X					
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

	GOOD RETAIL PRACTICES	OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built,maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0262477 - SONIC DRIVE INS GILROY	Site Address 6921 CAMERON BL, GILROY, CA 95020	Inspection Date 06/09/2026
Program PR0385344 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name SFZ VENTURES LLC	Inspection Time 11:45 - 13:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water within the facility was measured at 72°F at the time of inspection. Per PIC, the water heater was turned off since repairs were being made to it; it was leaking water. Hot water heater is not operational.

[CA] An approved, adequate, protected, pressurized, potable supply of hot water and cold water shall be provided.

Follow-up By
06/15/2026

Minor Violations

No minor violations were observed during this inspection.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Hot water	3-Compartment/mop sinks	72.00 Fahrenheit	Adjust to 120°F minimum.
Chilly	Hot holding (steam table)	162.00 Fahrenheit	
Cut tomato	Prep table	39.00 Fahrenheit	
Cheese	Walk in	38.00 Fahrenheit	
Cheese	Reach in	39.00 Fahrenheit	
Ambient	Reach in freezer	5.00 Fahrenheit	
Hot dogs	Hot holding (steam table)	164.00 Fahrenheit	
Pooled eggs	Reach in	39.00 Fahrenheit	
Chicken strips	Hot holding	148.00 Fahrenheit	
Warm water	Hand wash/restroom	72.00 Fahrenheit	Adjust to 100°F minimum.
Milk	Walk in	38.00 Fahrenheit	
Cooked burger	Cook line	189.00 Fahrenheit	Final cook temperature.
Ambient	Walk in freezer	5.00 Fahrenheit	
Jelly	Under counter refrigeration	39.00 Fahrenheit	
Sanitizer (Quats)	Sanitizer bucket	200.00 PPM	

Overall Comments:

The facility is hereby closed by the department for not having hot water within the facility.

Facility is not allowed to operate until a follow up inspection is conducted by this department.

Subsequent follow-up inspections after the first follow-up shall be billed \$298-hour, minimum one hour, during normal business hours: Monday-Friday 7:30AM to 5:00PM or \$645/hour, minimum one hour, during non-business hours, and upon inspector availability.

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/23/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

OFFICIAL INSPECTION REPORT

Facility FA0262477 - SONIC DRIVE INS GILROY	Site Address 6921 CAMERON BL, GILROY, CA 95020	Inspection Date 06/09/2026
Program PR0385344 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name SFZ VENTURES LLC	Inspection Time 11:45 - 13:00

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: Jose R.
Manager

Signed On: June 09, 2026