

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0282723 - TEA VILLA		Site Address 150 S 1st ST 103, SAN JOSE, CA 95113	Inspection Date 12/01/2022
Program PR0424088 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		Owner Name TEA VILLA LLC	Inspection Time 14:40 - 15:10
Inspected By TRAVIS KETCHU	Inspection Type FOLLOW-UP INSPECTION	Consent By NHI THAN	

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

Cited On: 11/29/2022

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Compliance of this violation has been verified on: 12/01/2022

Cited On: 11/29/2022

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Compliance of this violation has been verified on: 12/01/2022

Minor Violations

Cited On: 12/01/2022

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Observed paper towels stored outside of dispensers at both hand wash sinks. [CA] Paper towels shall be stored inside the dispenser to prevent potential contamination.

Cited On: 11/29/2022

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

This violation found not in compliance on 12/01/2022. See details below.

Measured Observations

Item	Location	Measurement	Comments
chlorine sanitizer	3 comp sink	100.00 Fahrenheit	

Overall Comments:

Follow-up inspection to routine inspection conducted by Jennifer Rios on 11/29/2022.

Observed hand wash sinks to be unobstructed and stocked at the time of inspection.

Observed chlorine sanitizer on site at the time of inspection. Employee not aware of the proper manual ware washing steps, educated and provided sticker.

Continue to work on minor violations noted during the routine inspection.


When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/15/2022**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0282723 - TEA VILLA	Site Address 150 S 1st ST 103, SAN JOSE, CA 95113	Inspection Date 12/01/2022
Program PR0424088 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name TEA VILLA LLC	Inspection Time 14:40 - 15:10

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Nhi Than
PIC

Signed On: December 01, 2022