

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0201632 - JACK IN THE BOX #421		Site Address 4896 EL CAMINO REAL, LOS ALTOS, CA 94022		Inspection Date 05/13/2024	
Program PR0300313 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name JIB RESTAURANT GROUP, INC		Inspection Time 09:50 - 10:40
Inspected By MAMAYE KEBEDE	Inspection Type ROUTINE INSPECTION	Consent By MARIA	FSC Maria Vazquez 3/30/2027		

Placard Color & Score
GREEN
94

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records	X						
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures	X						
K11 Proper reheating procedures for hot holding	X						
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used	X	
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean	X	
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0201632 - JACK IN THE BOX #421	Site Address 4896 EL CAMINO REAL, LOS ALTOS, CA 94022	Inspection Date 05/13/2024
Program PR0300313 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name JIB RESTAURANT GROUP, INC	Inspection Time 09:50 - 10:40
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K29 - 2 Points - Toxic substances improperly identified, stored, used; 114254, 114254.1, 114254.2

Inspector Observations: The quaternary ammonia sanitizer concentration on the sanitizer bucket was measured above 400 ppm. The chlorine concentration on the mechanical dishwasher was also measured above 100 ppm [CA] Maintain the quaternary ammonia sanitizer concentration between 150 ppm and 400 ppm and the chlorine concentration at 100 ppm, or as recommended by the manufacturer. The chlorine level on the mechanical dishwasher must also be lowered to 100 ppm.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: There is a leakage from the milk shake machine. [CA] Fix the leakage immediately.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: There are some holes on the ceiling on the electric conduit, pipes, and other structures. [CA] To prevent insect/rodent infestation, seal all the holes observed on the ceiling

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
Hot water	Three compartment sink	130.00 Fahrenheit	
Chicken	Walk-in cooler	34.00 Fahrenheit	
Burger	Hot holding unit	154.00 Fahrenheit	
Scrambled eggs	Grill	175.00 Fahrenheit	
Diced tomato, TPHC	Preparation table	45.00 Fahrenheit	
Chlorine	Mechanical dishwasher	100.00 PPM	
Cheese	Undercounter fridge	35.00 Fahrenheit	

Overall Comments:

Note: Food safety manager certificate: Maria Vazquez - 3/30/2027

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/27/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0201632 - JACK IN THE BOX #421	Site Address 4896 EL CAMINO REAL, LOS ALTOS, CA 94022	Inspection Date 05/13/2024
Program PR0300313 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name JIB RESTAURANT GROUP, INC	Inspection Time 09:50 - 10:40

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Maria Vazquez
Manager

Signed On: May 13, 2024