

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0211692 - CHINA STIX #2		Site Address 2110 EL CAMINO REAL, SANTA CLARA, CA 95051		Inspection Date 12/28/2023		Placard Color & Score <div style="font-size: 2em; font-weight: bold; text-align: center;">GREEN</div> <div style="font-size: 3em; font-weight: bold; text-align: center;">78</div>			
Program PR0304727 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name CHANG, F		Inspection Time 12:00 - 13:30				
Inspected By MAMAYE KEBEDE		Inspection Type ROUTINE INSPECTION		Consent By FRANK CHANG					FSC

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification			X				
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures			X				
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized		X		X			
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected	X	
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		X
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0211692 - CHINA STIX #2	Site Address 2110 EL CAMINO REAL, SANTA CLARA, CA 95051	Inspection Date 12/28/2023
Program PR0304727 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name CHANG, F	Inspection Time 12:00 - 13:30
K48 Plan review		
K49 Permits available		
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: *The sanitizer concentration on the low temperature mechanical dishwasher that was used to wash the dishes was measured at zero ppm chlorine.*

[CA] *Whenever sanitizing of utensils/equipment is conducted using a low temperature mechanical dishwasher, there must be a 50-ppm residual chlorine level when the cycle completes. Until the mechanical dishwasher is fixed, please use the manual three compartments sink to wash, rinse, and sanitize the dishes with 200 ppm quaternary ammonia or 100 ppm chlorine, unless otherwise specified by manufacturer of the chemical. The person in charge refill one sink of the warewash sink with lukewarm water and added bleach manually to create a 100-ppm chlorine solution to sanitize the utensils washed in the mechanical dishwasher (SA).*

Follow-up By 12/28/2023

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations: *Food safety manager certificate is expired.*

[CA] *Someone from the facility must take a food safety certificate class within two months and keep copy of the certificate on file.*

Food Safety Manager certificate class may be taken on the following websites:

1. Premier Food Safety:

<https://www.premierfoodsafety.com/food-manager-certification/california>

2. Learn 2 Serve:

<https://www.360training.com/learn2serve/food-safety-manager/California>

3. Serve Safe Manager:

<https://www.servsafe.com/ServSafe-Manager>

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: *Steam rice, chow mein, and dim sum stored on the preparation area were measured at 130 °F and 48 OF respectively.*

[CA] *All potentially hazardous foods like meat, seafood, poultry, dairy products, cooked vegetables, cooked cereals, greens, and diced tomatoes shall always be held at 41°F or below or at 135°F or above. If any of these food products are going to be stored at room temperature, proper time/temperature logs must be maintained.*

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

Inspector Observations: *Some open bag food products were stored on the shelf of in the dry storage area.*

[CA] *Store all open bag food products in properly labeled bulk containers.*

K40 - 2 Points - Wiping cloths: improperly used and stored; 114135, 114185.1 114185.3(d,e)

Inspector Observations: *Multiple wet/soiled wiping cloths were stored on the counters and preparation tables.*

[CA] *Wet/soiled wiping cloths must be stored in a bucket that has standard sanitizer concentration in between use which is 200 ppm quaternary ammonia or 100 ppm chlorine (bleach).*

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: *The two back doors were partially opened.*

[CA] *To prevent insect/rodent infections, keep the backdoor always closed or install a screen door.*

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

OFFICIAL INSPECTION REPORT

Facility FA0211692 - CHINA STIX #2	Site Address 2110 EL CAMINO REAL, SANTA CLARA, CA 95051	Inspection Date 12/28/2023
Program PR0304727 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name CHANG, F	Inspection Time 12:00 - 13:30

Inspector Observations: *Excessive water accumulation was observed on the floor below the cutting table.*

[CA] *Keep the floor areas neat, clean, and dry at all the time.*

There are some damaged/broken or missing floor tiles below the mechanical dishwasher. The drainboard of the walk-in cooler is also detached from the cove base. .

[CA] *Replace the damaged/broken or missing floor tiles immediately.*

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
Shell eggs	Upright fridge	38.00 Fahrenheit	
Shrimp	Final cook	167.00 Fahrenheit	
Shrimp	Preparation fridge	39.00 Fahrenheit	
Beef	Walk-in cooler	34.00 Fahrenheit	
Chlorine	Mechanical dishwasher	50.00 PPM	
Chow mein	Preparation table	130.00 Fahrenheit	
Broccoli beef	Final cook	163.00 Fahrenheit	
Quaternary ammonia	Three compartment warewash sink	200.00 PPM	
Fried rice	Preparation table	131.00 Fahrenheit	


Overall Comments:

Note: *Food safety certificate is expired.*

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/11/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control


Received By: Frank Chang
Owner
Signed On: December 28, 2023