

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0204050 - LUDWIGS		Site Address 383 CASTRO ST, MOUNTAIN VIEW, CA 94041		Inspection Date 04/03/2025	
Program PR0302828 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name LUDWIGS MOUNTAIN VIEW		Inspection Time 13:15 - 14:00
Inspected By DAVID LEE		Inspection Type FOLLOW-UP INSPECTION		Consent By VILGAI	

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

N/A

Minor Violations

N/A

Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
goulash, potato soup	2 door prep cooler	48.00 Fahrenheit	
cream cheese, pork mix	walk in cooler	46.00 Fahrenheit	
mashed potato	hot cabinet	150.00 Fahrenheit	

Overall Comments:

violation k07 from 3/27/25 not corrected. 2nd follow up inspection will be charged \$298 and billed accordingly

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/17/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: _____

Signed On: April 03, 2025