

# County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

Facility FA0208223 - MANLEY'S DONUTS		Site Address 2590 S BASCOM AV, SAN JOSE, CA 95124		Inspection Date 07/05/2023	
Program PR0304192 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name SOEUNG, KIMLENG		Inspection Time 14:00 - 15:30
Inspected By JOSEPH SCOTT	Inspection Type ROUTINE INSPECTION	Consent By SREYPICH BORN	FSC KIMLELENG SOEUNG 01/07/2025		

Placard Color & Score
<b>GREEN</b>
<b>89</b>

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						S
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						N
K06 Adequate handwash facilities supplied, accessible			X				N
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records					X		
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized					X		
K15 Food obtained from approved source							
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		X
K39 Thermometers provided, accurate		X
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		X
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0208223 - MANLEY'S DONUTS	<b>Site Address</b> 2590 S BASCOM AV, SAN JOSE, CA 95124	<b>Inspection Date</b> 07/05/2023
<b>Program</b> PR0304192 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	<b>Owner Name</b> SOEUNG, KIMLENG	<b>Inspection Time</b> 14:00 - 15:30
<b>K48</b> Plan review		
<b>K49</b> Permits available		
<b>K58</b> Placard properly displayed/posted		

## Comments and Observations

### Major Violations

No major violations were observed during this inspection.

### Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

**Inspector Observations: FRONT COUNTER HAND WASH SINK PAPER TOWELS IN THE WALL MOUNTED DISPENSER [CA] RE-FILL.**

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

**Inspector Observations: REAR CEILING LIGHT COVER MISSING [CA] REPLACE.**

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

**Inspector Observations: THERMOMETERS ARE NOT EASILY VISIBLE WITHIN REFRIGERATION UNITS [CA] PROVIDE.**

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

**Inspector Observations: SPRAY NOZZLE EXTENDS INTO THE 2 COMPARTMENT SINK BASIN [CA] RE-ESTABLISH THE PROPER AIR AIR GAP.**

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

**Inspector Observations: NO MOP STORAGE RACK OVER THE MOP SINK BASIN [CA] INSTALL.**

### Performance-Based Inspection Questions

Needs Improvement - Adequate handwash facilities: supplied or accessible.

Needs Improvement - Hands clean/properly washed/gloves used properly.

### Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
DELI MEATS	FRONT COUNTER AREA 2 DOOR PREP REFRIGERATOR	40.00 Fahrenheit	
DAIRY	2 DOOR REACH IN REFRIGERTOR	39.00 Fahrenheit	
HOT WATER	2 COMPARTMENT SINK FAUCET	120.00 Fahrenheit	
WARM WATER	FRONT COUNTER HAND WASH SINK FAUCET	100.00 Fahrenheit	

### Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/19/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0208223 - MANLEY'S DONUTS	<b>Site Address</b> 2590 S BASCOM AV, SAN JOSE, CA 95124	<b>Inspection Date</b> 07/05/2023
<b>Program</b> PR0304192 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	<b>Owner Name</b> SOEUNG, KIMLENG	<b>Inspection Time</b> 14:00 - 15:30

**Legend:**

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



---

**Received By:** SREYPICH BORN  
MANAGER

**Signed On:** July 05, 2023