

**County of Santa Clara**  
**Department of Environmental Health**  
**Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716  
 Phone (408) 918-3400 www.ehinfo.org



**OFFICIAL INSPECTION REPORT**

<b>Facility</b> FA0272266 - KAM PAI SUSHI		<b>Site Address</b> 171 BRANHAM LN 3, SAN JOSE, CA 95136		<b>Inspection Date</b> 05/02/2023	
<b>Program</b> PR0411873 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			<b>Owner Name</b> PAIK, HYE J		<b>Inspection Time</b> 15:00 - 16:45
<b>Inspected By</b> CHRISTINA RODRIGUEZ	<b>Inspection Type</b> ROUTINE INSPECTION	<b>Consent By</b> JONGHOON	<b>FSC</b> Please check FSC format. Please check FSC format.		

<b>Placard Color &amp; Score</b>
<b>GREEN</b>
<b>86</b>

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records					X		
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods	X						
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed		X		X			
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean	X	
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean	X	
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

# OFFICIAL INSPECTION REPORT

Facility FA0272266 - KAM PAI SUSHI	Site Address 171 BRANHAM LN 3, SAN JOSE, CA 95136	Inspection Date 05/02/2023
Program PR0411873 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name PAIK, HYE J	Inspection Time 15:00 - 16:45
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

## Comments and Observations

### Major Violations

K22 - 8 Points - Sewage and wastewater improperly disposed; 114197

**Inspector Observations:** *Observed a floor sink in the food storage room to be overflowing. The water is almost to the storage room door which leads to the kitchen. The facility is closed upon beginning of inspection since they do not open until 4:30p.m. [CA] The water must be cleaned up, drain unplugged, and floor sanitized. Please have this done before reopening. The water is being tracked into the kitchen when employee enters and leaves the storage room. According to the owner he can have this done before reopening today.*

**[COS]** *By end of inspection violation has been corrected.*

### Minor Violations

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

**Inspector Observations:** *The upper inside panel of the ice machine has accumulated mold/mildew like substance.*

**[CA]** *Thoroughly clean the inside of the ice machine.*

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

**Inspector Observations:** *The storage shelves are soiled. [CA] Thoroughly clean the storage shelves, especially behind entire front counter.*

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

**Inspector Observations:** *The floor has accumulated grease and food particles mostly under cookline. [CA] Thoroughly clean the floor.*

### Performance-Based Inspection Questions

N/A

### Measured Observations

Item	Location	Measurement	Comments
water	dish sink	120.00 Fahrenheit	
water	hand sink	100.00 Fahrenheit	
salmon	prep unit	38.00 Fahrenheit	
fish	refrigerator	40.00 Fahrenheit	
small spotted egg	refrigerator	40.00 Fahrenheit	

### Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/16/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0272266 - KAM PAI SUSHI	<b>Site Address</b> 171 BRANHAM LN 3, SAN JOSE, CA 95136	<b>Inspection Date</b> 05/02/2023
<b>Program</b> PR0411873 - FOOD PREP / FOOD SVC OP - 0-5 EMPLOYEES RC 3 - FP11	<b>Owner Name</b> PAIK, HYE J	<b>Inspection Time</b> 15:00 - 16:45

**Legend:**

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: \_\_\_\_\_

Signed On: May 02, 2023