

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0208681 - THE SKEWERS BAR	Site Address 3082 LANDESS AV, SAN JOSE, CA 95132	Inspection Date 11/07/2025
Program PR0304551 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name HONG LI	Inspection Time 16:30 - 17:05
Inspected By MAMAYE KEBEDE	Inspection Type FOLLOW-UP INSPECTION	Consent By ZUQIANG LIU

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

N/A

Minor Violations

Cited On: 11/07/2025

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: The large exhaust hood is shared by cooking equipment using charcoal, gas, and electric. [CA] Please dedicate the small exhaust hood for the charcoal using cooking equipment and the larger one for the other cooking equipment.

Follow-up By
11/07/2025

Measured Observations

Item	Location	Measurement	Comments
Chicken	Walk-in cooler	50.00 Fahrenheit	
Chloirne	Mechanical dishwasher	50.00 Fahrenheit	

Overall Comments:

Note: This is an owner initiated follow-up inspection to the limited inspection that was conducted on 10/22/2025. All the violations cited on that day's follow-up inspection are corrected. However, the exhaust hood is shared by a charcoal skewer and other cooking equipment. Please use a dedicated exhaust hood for the charcoal skewer.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/21/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Received By: Zuqiang Liu
Parner
Signed On: November 07, 2025