

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0299552 - JOEY VALLEY FAIR - KITCHEN		Site Address 2855 STEVENS CREEK BL 1840, SAN JOSE, CA 950		Inspection Date 05/12/2025	
Program PR0439569 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17			Owner Name JOEY RESTAURANT (VALLE)		Inspection Time 15:20 - 16:15
Inspected By FARHAD AMIR-EBRAHIMI	Inspection Type FOLLOW-UP INSPECTION	Consent By JORDAN SENGER			

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

N/A

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

Kitchen dishwasher rinse temperature is now 160F. Monitor and maintain rinse temperature at 160F or warmer.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/26/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: JORDAN SENGER

Signed On: May 12, 2025