

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0261254 - I TEA DO RAKU		Site Address 760 E CALAVERAS BL, MILPITAS, CA 95035	Inspection Date 04/15/2025
Program PR0383091 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		Owner Name DORAKU, INC	Inspection Time 11:10 - 11:30
Inspected By NHA HUYNH	Inspection Type FOLLOW-UP INSPECTION	Consent By TYLER	

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

Cited On: 04/11/2025

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Compliance of this violation has been verified on: 04/15/2025

Cited On: 04/11/2025

K08 - 8 Points - Improperly using time as a public health control procedures & records; 114000

Compliance of this violation has been verified on: 04/15/2025

Minor Violations

Cited On: 04/15/2025

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations:

Observed water leak under the handwash sink basin in the kitchen.

[Corrective Action] Repair to stop the leak.

Measured Observations

Item	Location	Measurement	Comments
hot water	handwash sink	107.00 Fahrenheit	kitchen

Overall Comments:

A follow-up inspection was conducted to verify major violations from routine inspection conducted on 04/11/2025 are in compliance.

K06: Handwash sink in the kitchen observed operable.

K08: Boba observed time marked. Red bean observed refrigerated.

Continue to work on violations noted on the routine inspection report.


When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/29/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0261254 - I TEA DO RAKU	Site Address 760 E CALAVERAS BL, MILPITAS, CA 95035	Inspection Date 04/15/2025
Program PR0383091 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name DORAKU, INC	Inspection Time 11:10 - 11:30

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Tyler Pham
Person in charge

Signed On: April 15, 2025